AUTHORS INDEX

A		Buhr, R. K., The Effects of Pb, Sb, and Ce on Microstruc-	
Aleshin, E., Utilization of Waste By-Products Part III	:	ture of Heavy Section Nodular Iron Castings	
Product Development	327	Burgess, P. B., deMenezes e Vasconcelos, Rapid Batch Annealing of Ferritic Malleable	
Foundry Sand Testing		c	
Nitrogen-Free Furan Hot-Box Binder Arnaud, D., Dealuminization of Cast Cu-Al Alloys, Elec-		Campomanes, E., Effect of Minute Additions of Antimony on Structure and Properties of Ductile Iron	
trochemical Studies of the Importance of Chemica Composition		Chakraborty, P. N., Anderson, A. J., Specimen for Found- ry Sand Testing	
В		Chaudhari, M. O., Loper, C. R., Jr., Heine, P. W. Char- acterization and Interpretation of Ductile Iron X Cool-	
Badia, F. A., Dispersion of Oxides and Carbides in Al and		ing Curves	
Zn Alloy Castings		Church, N. L., Ni-Mo Ductile Irons With Very High Strength and Hardness	371
New Method of Production and Some Foundry Characteristics	265	Church, N. L., Properties of Cast Stainless Steel	
Badone, L., March, A., Metal Systems in a High-Produc-		Effect of Lowering Tin Content of Secondary Red Brass	
tion Aluminum Casting Operation Bartolucci, R. L., Proven Sand Practices in Hi-Density Hi-		Cowen, P. S., Cupola Emission Controls	125
Production Molding		Steel for Heat Resisting Applications	
Iron, Part II.		D	
Basutkar, P. K., Loper, Jr., C. R., Correlation of Micro-			
structures With Thermal Analysis in Heavy Section	100	Delamore, G. W., Smith, R. W., Mackay, W. B. F., Con- trolled Dispersion of Inclusions	
Ductile Iron Castings, Part I,	169	De Walt, R. L., Heine, R. W., A Pinholing Experience With	500
Casting of Gray, Ductile and Malleable Iron	547	Arc-Induction Melted White Iron Castings Dietert, H. W., Graham, A. L., Schumacher, J. S., Ram-	515
by A Federal Mediator	321	ming Resistance of Sands	445
Bell, E. W., Holubec, I., Stress-Strain Behavior of Green Sand Applicable to High-Pressure Squeeze Molding	313	Doelman, R. L., Sanders, C. A., Heat Abstraction from Metal Castings into Molding Media and Its Influence on	
Berg, hvd, Levelink, H. G., Casting Defects Caused by Water Explosion	421	Bond and Binder Thermal Alteration in Recycled Sys- tem Molding Sands	1
Bigelow, W. C., Flinn, R. A., Dross in Ductile Iron-Entrap-		Douglas, B. R., Krall, H. A., The Economic Production of	
ment and Fluxing Experiments	589	Shaoes and Tubes in Gray and Alloyed Iron by the Horizontal Continuous Casting Process	31
Blackmun, E. V., Aluminum Casting Alloys—Effect of Composition and Foundry Practices pn Properties and		Horizoniai Continuous Casting Process	31
Quality	63	r r	
Bock, F. C., Watmough, T., Shaw, W. F., Combined Ef-			
	225	Edwards, J. O., Murthy, K. S. S., Effect of Pressure Applied During Solidification on Soundness of 85-5-5-5	
Bohm, W. F., Melting Fragmentized Steel Scrap in a Hot- Blast, Water-Wall Cupola	394	Leaded Brass Castings	281
Borik, F., Scholz, W. G., Effects of Time and Temperature		-	
on Ductility and Toughness of Modified Austenitic Man-			
	449		040
			213
Systems Control Committee	337		479
ganese Steels		Ferency, D. L., Troy, E. C., A Mulling Index Applied to Sand-Water-Bentonite	

AUTHORS INDEX

A		Buhr, R. K., The Effects of Pb, Sb, and Ce on Microstruc-	
Aleshin, E., Utilization of Waste By-Products Part III	:	ture of Heavy Section Nodular Iron Castings	
Product Development	327	Burgess, P. B., deMenezes e Vasconcelos, Rapid Batch Annealing of Ferritic Malleable	
Foundry Sand Testing		c	
Nitrogen-Free Furan Hot-Box Binder Arnaud, D., Dealuminization of Cast Cu-Al Alloys, Elec-		Campomanes, E., Effect of Minute Additions of Antimony on Structure and Properties of Ductile Iron	
trochemical Studies of the Importance of Chemica Composition		Chakraborty, P. N., Anderson, A. J., Specimen for Found- ry Sand Testing	
В		Chaudhari, M. O., Loper, C. R., Jr., Heine, P. W. Char- acterization and Interpretation of Ductile Iron X Cool-	
Badia, F. A., Dispersion of Oxides and Carbides in Al and		ing Curves	
Zn Alloy Castings		Church, N. L., Ni-Mo Ductile Irons With Very High Strength and Hardness	371
New Method of Production and Some Foundry Characteristics	265	Church, N. L., Properties of Cast Stainless Steel	
Badone, L., March, A., Metal Systems in a High-Produc-		Effect of Lowering Tin Content of Secondary Red Brass	
tion Aluminum Casting Operation Bartolucci, R. L., Proven Sand Practices in Hi-Density Hi-		Cowen, P. S., Cupola Emission Controls	125
Production Molding		Steel for Heat Resisting Applications	
Iron, Part II.		D	
Basutkar, P. K., Loper, Jr., C. R., Correlation of Micro-			
structures With Thermal Analysis in Heavy Section	100	Delamore, G. W., Smith, R. W., Mackay, W. B. F., Con- trolled Dispersion of Inclusions	
Ductile Iron Castings, Part I,	169	De Walt, R. L., Heine, R. W., A Pinholing Experience With	500
Casting of Gray, Ductile and Malleable Iron	547	Arc-Induction Melted White Iron Castings Dietert, H. W., Graham, A. L., Schumacher, J. S., Ram-	515
by A Federal Mediator	321	ming Resistance of Sands	445
Bell, E. W., Holubec, I., Stress-Strain Behavior of Green Sand Applicable to High-Pressure Squeeze Molding	313	Doelman, R. L., Sanders, C. A., Heat Abstraction from Metal Castings into Molding Media and Its Influence on	
Berg, hvd, Levelink, H. G., Casting Defects Caused by Water Explosion	421	Bond and Binder Thermal Alteration in Recycled Sys- tem Molding Sands	1
Bigelow, W. C., Flinn, R. A., Dross in Ductile Iron-Entrap-		Douglas, B. R., Krall, H. A., The Economic Production of	
ment and Fluxing Experiments	589	Shaoes and Tubes in Gray and Alloyed Iron by the Horizontal Continuous Casting Process	31
Blackmun, E. V., Aluminum Casting Alloys—Effect of Composition and Foundry Practices pn Properties and		Horizoniai Continuous Casting Process	31
Quality	63	r r	
Bock, F. C., Watmough, T., Shaw, W. F., Combined Ef-			
	225	Edwards, J. O., Murthy, K. S. S., Effect of Pressure Applied During Solidification on Soundness of 85-5-5-5	
Bohm, W. F., Melting Fragmentized Steel Scrap in a Hot- Blast, Water-Wall Cupola	394	Leaded Brass Castings	281
Borik, F., Scholz, W. G., Effects of Time and Temperature		-	
on Ductility and Toughness of Modified Austenitic Man-			
	449		040
			213
Systems Control Committee	337		479
ganese Steels		Ferency, D. L., Troy, E. C., A Mulling Index Applied to Sand-Water-Bentonite	

Fischer, R. B., Mekeel, C. V., Surface Carburization in Corrosion Resistant Steel Castings Produced in Molds		Jones, C. A., Fisher, J. C., Bates, C. E., Permanent Mold Casting of Gray, Ductile and Malleable Iron	
Bonded With Organic Binders	600	Jordon, D. E., Cox, G. J., An Improved Cast Austenitic	
Fisher, J. C., Jones, C. A., Bates, C. E., Permanent Molo Castings of Gray, Ductile and Malleable Iron		Steel for Heat Resisting Applications	
Bigelow, W. C., Flinn, R. A., Trojan, P. K., Matsubara P. K., Dross In Ductile Iron-Entrapment and Fluxing Ex-		Used to Cast the Vega Engine Block	8
periments		к	
Flinn, R. A., Trojan, P. K., Talballa, M., Desulfurization of Iron Droplets During Floating and Immersion in Slags		Kaasch, F. E., Response of some cast Irons to High Heat-	
and by Solid Desulfurizers	415	ing Rates as in Flame and Induction Hardening	6
Floreen, S., Development of Cast Silicon-Hardened Maraging Stainless Steel		Kangilaski, M., Oldfield, W., Surface Active Agents and Cast Iron Solidification—Their Occurrence and Their	
		Effects 5 B Helman I. I. Colo F B	45
G		Kenworthy, L. W., Higley, E. R., Holman, J. L., Cole, E. R., Effect Of Lowering Tin Content of Secondary Red	
Graham, A. L., Dietert, H. W., Schumacher, J. S., Ramm-		Brass	
ing Resistance of Sands		Koglin, E. F., A Review of Resin Core Binder Technological Advances, Committee 80L	
Using the Electron Microprobe		Koran, Z., Ovestrud, R. M., Vasishth, R. C., The Scanning Electron Microscope in Studying Coated Shell Sands.	
н		Krall, H. A., Douglas, B. R., The Economic Production of	20
Hamilton, J., Robins, J., Toriello, L. I., A New Phenolic		Shapes and Tubes in Gray and Alloyed Iron by the	-
Nobake Binder		Horizontal Continuous Casting Process	31
Hanna, G. T., Effective Maintenance Management	91	CO ₂ Sand	37
Hasegawa, K., Okumoto, T., Tanikawa, M., Improving the Mechanical Properties of Pearlitic Ductile Iron by Two-			
Step Normalizing		L	
Heine, R. W., De Walt, R. L., A Pinholing Experience with Arc-Induction Melted White Iron Castings		Lagowski, B., Aging of Mg-9-Al-Zn Alloys Latrobe, C. H., Thermal Analysis as a Control of Chemical	
Heine, R. W., Lazaridis, A., Worzala, F. J., Loper, C. R.,		Analysis of Bronze	79
Jr., Fracture Toughness of Ductile Cast Irons		Lazaridis, A., Worzala, F. J, Loper, Jr., C. R., Heine, R. W., Fracture Toughness of Ductile Cast Irons	351
Tin and Copper in Ductile Iron		Lee, R. S., Extended Holding of Treated Nodular Iron	
Heine, R. W., Loper, Jr., C. R., Chaudhari, M. O., Char-		LeMahieu, D. L., Loper, C. R., Jr., Effect of Casting Geometry and Glowthrough Volume on Solidification Time	
acterization and interpretation of Ductile Iron Cooling Curves		of Mn Bronze Castings	15
Heine, R. W., Loper, C. E., Jr., LeMahieu, D. L., White		LeMahieu, D. L., Loper, C. R., Jr., Heine, R. W., White Cast Iron Solidification Time as Influenced by Casting	
Cast Iron Solidification Time as Influenced by Casting Geometry		Geometry	483
Heine, R. W., Ries, M., Rosenthal, P. C., Loper, C. R., Jr.,		Levelink, H. G., Berg, H. V. D., Casting Defects Caused by Water Explosion	421
Tin and Copper in Malleable Iron		Levin, T., Rosenthal, P. C., Loper, Jr., C. R., Heine, R. W.,	461
P. C., Loper, C. R., Jr., Tin and Copper in Cast Gray		Tin and Copper in Ductile Iron	493
Heine, R. W., Sullivan, J. F., Rosenthal, P. C., Loper,		Light, R. J., Standard Test Procedure to Determine An- nealability of White Cast Iron, AFS 6-D Malleable Iron	
C. R., Jr., Tin and Copper in Cast Steel	537	Heat Treat Committee	465
Hepler, L. M., Loper, Jr., C. R., Effect of Solidification Cooling Rate on Microstructure and Mechanical Prop-		Loper, C. R., Jr., Basutkar, P. K., Correlation of Micro- structures with Thermal Analysis in Heavy Section	
erties of 85-5-5-5 Bronze (CDA alloy 836)	518	Ductile Iron	169
Holley, C. A., Zoller, R. H., Total Reclamation of Environ- mental Solid Waste		Loper, C. R., Jr., Basutkar, P. K., Effects of Cerium Additions on the Thermal Analysis of Heavy Section Duc-	
Hess, P. D., Rooy, E. L., Minimize Air Pollution and Im-		tile Iron, Part II	176
prove Metal Quality Through Filtration in the Foundry . Higley, L. W., Cole, E. R., Kenworthy, H., Holman, J. L.		Loper, C. R., Jr., Heine, R. W., Chaudhari, M. O., Characterization and Interpretation of Ductile Iron Cooling	
Effect of Lowering Tin Content of Secondary Red		Curves	399
Brass		Loper, C. R., Jr., Hepler, L. M., Effect of Solidification Cooling Rate on Microstructure and Mechanical Prop-	
Hochstein, A. W., Ryntz, E. F., Janowak, J. F., Wargel, C. A., Prediction of Nodular Iron Microstructure Using		erties of 85-5-5-5 Bronze (CDA alloy 836)	518
Thermal Analysis	141	Loper, C. R. Jr., Janowak, J. F., Process Variables Effects on Magnesium and Nodularity Fade in Molten	
Holman, J. L., Cole, E. R., Higley, E. R., Kenworthy, L. W., Effect of Lowering Tin Conteny of Secondary Red		Nodular Iron	594
Brass	157	Loper, C. R., Jr., LeMahieu, Effect of Casting Geometry	
Holubec, I., Bell, E. W., Stress-Strain Behavior of Green Sand Applicable to High-Pressure Squeeze Molding	313	and Flowthrough Volume on Solidification Time of Mn Bronze Castings	15
Husse, D. J., Yohe, P., Methods Improvement Before In-		Loper, Jr., C. R., LeMahieu, D. L, Heine, R. W., White Cast	
centive Time Standards	320	Iron Solidification Time as Influenced by Casting Geometry	483
Stage Graphitization of Malleable Iron	479	Loper, C. R., Levin, T., Rosenthal, P. C., Heine, R. W., Tin	
		and Copper in Ductile Iron	493
Janeurek I. E. Loner Ir. C. P. Process Veriables Et		Tin and Copper in Malleable Iron	565
Janowak, J. F., Loper, Jr., C. R., Process Variables Effects on Magnesium and Nodularity Fade in Molten		Loper, C. R., Jr., Rooney, T. C., Wang, C. C., Rosenthal, P. C., Heine, R. W., Tin and Copper in Cast Gray Iron.	189
Nodular Iron	594	Loper, C. R., Jr., Sullivan, J. F., Rosenthal, P. C., Heine,	
Janowak, J. K., Ryntz, E. F., Hochstein, A. W., Wargel, C. A., Prediction of Nodular Iron Microstructure Using		R. W., Tin and Copper in Cast Steel Loper, C. R., Jr., Worzala, F. J., Heine, R. W., Lazari-	537
Thermal Analysis	141	dis, A., Fracture Toughness of Ductile Cast Irons	351

>

Mackay, W. B. F., Smith, R. W., Delamofe, G. W., Cor trolled Dispersion of Inclusions Maratray, F., Choice of Appropriate Compositions for Chromium-Molybdenum White Irons March, A., Badone, L., Metal Systems in a High-Production Aluminum Casting Operation Mazandarany, F. N., Wada, H., Pehlke, R. D., The Solution of Nitrogen in Solid Cast Irons Mekeel, C. V., Fisher, R. B., Surface Carburization in Corrosion Resistant Steel Castings Produced in Mold Bonded With Organic Binders deMenezes e Vasconcelos, J., Burgess, P. B., Rapid Batch Annealing of Ferritic Malleable Mitsch, G. L., Wright, R. A., The Electrostatic Precipitator and the Cupola Morrison, C. E., Part 2—Tests to Determine When New Sand Should be Added to the Molding Sand System	. 560 . 121 . 469 . 584 . 600 . 459	Sanders, C. A., Doelman, R. L., Heat Abstraction from Metal Castings into Molding Media and Its Influence on Bond and Binder Thermal Alteration in Recycles System Molding Sands Scholz, W. G., Borik, F., Effects of Time and Temperature on Ductility and Toughness of Modified Austenitic Manganese Steels Schumacher, J. S., Graham, A. L., Dietert, A. W., Ramming Resistance of Sands Shaw, W. F., Watmough, T., Bock, F. C., Combined Effects of Selected Elements on the Properties of Ductile Iron Smith, R. W., Delamore, G. W., Mackay, W. B. F., Controlled Dispersion of Inclusions Sullivan, J. F., Rosenthal, P. C., Loper, C. R., Jr., Heine R. W., Tin and Copper in Cast Steel	e dd . 1 e e . 449 g . 445
AFS Malleable Sand Systems Control Committee (6-F) Murthy, K. S. S., Edwards, J. O., Effect of Pressure Ap p:ied During Solidification on Soundness of 85-5-5-	5	Talballa, M., Trojan, P. K., Flinn, R. A., Desulfurization of	
Leaded Brass Castings	3	Iron Droplets During Floating and Immersion in Slags and by Solid Desulfurizers	415
McDonald, D. F., Pearson, J. R., Badia, F. A., Graphite Al—a New Method of Production and Some Foundry Characteristics	/	Mechanical Properties of Pearlitic Ductile Iron by Two- Step Normalizing	473 161
0		Odor, Nitrogen-Free Furan Hot-Box Binder	95
Okumoto, T., Hasegawa, K., Tanikawa, M., Improving the		Nobake Binder	
Mechanical Properties of Pearlitic Ductile Iron by Two- Step Normalizing Oldfield, W., Kangilaski, M., Surface Active Agents and	473	Nickel Alloys Trojan, P. K., Talballa, M., Flinn, R. A., Desulfurization of Iron Droplets During Floating and Immersion in Slags	
Cast Iron Solidification—Their Occurrence and Their Effects Ovestrud, R. M., Vasishth, R. C., Koran, Z., The Scanning Electron Microscope in Studying Coated Shell Sands	455	and by Solid Desulfurizers	415
, , , ,		U	
P Debite B B Hate M College of Nilson and State of		Uda, M., Pehlke, R. D., Solubility of Nitrogen in Liquid	
Pehlke, R. D., Uda, M., Solubility of Nitrogen in Liquid Cast Irons Pehlke, R. D., Wada, H., Mazanarany, The Solution of	577	Cast Irons	3//
Nitrogen in Solid Cast Irons Phillips, D. R., Method of Determination of Clay and Other Sand Separates, Committee 80-J		Vasishth, R. C., Ovestrud, R. M., Koran, Z., The Scanning Electron Microscope in Studying Coated Shell Sands . Vorberger, C. R., Hutchinson, R. D., Ferra, C. R., Second Stage Graphitization of Malleable Iron	
R		w	
Rassenfoss, J. A., Elevated Temperature Sand Testing 1935-1971	287	Wada, H., Mazanarany, F. N., Pehlke, R. D., The Solution	
Ries, M., Rosenthal, P. C., Loper, Jr., C. R., Heine, R. W., Tin and Copper in Malleable Iron	565	of Nitrogen in Solid Cast Irons	584
Robins, J., Toriello, L. I., Andrejack, J., A New, Low-Odor, Nitrogen-Free, Furan Hot-Box Binder	95	Jr., Heine, R. W., Tin and Copper in Cast Gray Iron Wargel, C. A., Ryntz, E. F., Janowak, J. F., Hochstein, A. W., Predictions of Nodular Iron Microstructure Using	189
Urethane Nobake Binder	105	Thermal Analysis Warzala, F. J., Lazaridis, A., Loper, C. R., Jr., Heine,	141
C. R., Heine R. W., Tin and Copper in Cast Gray Iron . Rooy, E. L., Hess, P. D., Minimize Air Pollution and Improve Metal Quality Through Filtration in the Foundry .		R. W., Fracture Toughness of Ductile Cast Irons	351
Rosenthal, P. C., Levin, T., Loper, C. E. R., Jr., Heine, R. W., Tin and Copper in Ductile Iron	493		225
Rosenthal, P. C., Ries, M., Loper, C. R., Jr., Heine, R. W., Tin and Copper in Malleable Iron	565	Core Box Wright, R. A., Mitsch, G. L., The Electrostatic Precipita-	323
Rosenthal, T. C., Rooney, T. C., Wang, C. C., Loper, C. R., Jr., Heine, R. W., Tin and Copper in Cast Gray Iron	189	tor and the Cupola	257
Rosenthal, P. C., Sullivan, J. F., Loper, C. R., Jr., Heine, R. W., Tin and Copper in Cast Steel	537	Y	
Rowell, V., Sand Flowability or "Mobility"	21	Yohe, P., Huss, D. J., Methods Improvement Before Incentive Time Standards	321
Ruf, H. W., Noise Control at Grede Foundries		z	
Ryntz, E. F. Jr., Janowak, J. F., Hochstein, A. W., Wargel C. A., Prediction of Nodular Iron Microstructure Using Thermal Analysis	141	Zoller, R. H., Holley, C. A., Total Reclamation of Environmental Solid Waste	186

Subject Index

The page numbers refer to the first page of the entire article which contains the subject listed.

45

25 60 37

15

A

Acurad process and	
Al-Si hypereutectic alloy (390)	8
Aging of	
Mg-9Al-Zn alloys and effect on	
Dimensional changes	11
Electrical properties	11!
Mechanical properties	11!
Air pollution control	
Al alloy melt quality improvement .	253
Filtration, degassing, fluxing for	
melt quality improvement	253
Aluminum alloys	
Air pollution reduction and melt	
quality improvement	253
Casting properties	63
Compositions of	63
Continuous casting	161
Filtration, degassing, fluxing for	
melt quality improvement and	
air pollution reduction	253
Foundry practices	63
Graphite dispersions in	
Casting of	265
Segregation of	265
Use of Ni-coated powders	265
Vortex method for producing	265
Melt quality improvement	253
	-

Aluminum and zinc alloys	
Carbide dispersion in	347
Stream injection of Ni-coated	
particles	347
Oxide dispersion in	347
Vortex introduction of	
Ni-coated particles	347
Aluminum-silicon	
hypereutectic alloy (390)	
Acurad process for Vega	
engine block	85
Fluidity of	85
Machining of	85
Microstructure	85
Vega engine block casting	85
Annealibility determination for	
White iron	465
Annealing of	
White iron with Cr and Mo	121
Antimony inoculation of	
Ductile iron, effect on properties	
and microstructure	57
Arc furnace dust	-,
Product development	327
Waste by-products utilization	
Arc-melting of	021
Malleable iron	
Cause of pinholing	151
Source of oxidation	
Source of Oxidation	131
В	
Bentonites	
Methylene blue test for	337

Thermal durability determination Binders (see Sand binders) Bismuth additions to	337
Cast iron	455
Pressure application during solidification	281
Mechanical properties	
Microstructure	
Bronze and	
Thermal analysis as control of	
chemical composition	79
Bulk arrest temperature,	
heavy section ductile iron	
Ce addition effect	1/6
Microstructure correlation and prediction	169
С	
Calcium carbide, as desulfurizer for	
cast iron	415
alloys	
control in the cupola	125
case depth, cast iron,	-
flame or induction hardened	69
Casting defects, caused by High-pressure molding practice	421
Mold explosion	421
Water explosion	

White iron, effect on		Corrosion resistance		Bulk arrest used to correlate	
solidification time	483	Mechanical properties		and predict	169
Casting properties of		Weldability		Ce additions effect on	
Al alloys	. 63	Corebox, construction for		Bulk arrest	176
Cast iron (see also Ductile Iron,		coldbox process	. 323	Cooling curves	
Gray Iron, Malleable Iron, etc.)		Core making		Graphite degeneration	
Bi additions	. 455	Binder system comparison chart		Pearlite	
Case hardened depth	. 69	Phenolic-urethane nobake binders .	105	Solidification	
Desulfurization by	415	Corrosion resistance of	241	Thermal analysis	
CaC ₂		Cu-Al alloys		Degenerate graphite in	24/
Slags	. 415	Cu-Ni alloys, effect of Si, Cb, Al Stainless Steel	145	Microstructure effected by Pb, Bi,	247
Graphite permanent molds		Affected by carburization from		Sb, Ce Thermal analysis used to	241
High heating rates		mold	500	correlate and predict	160
Induction hardening		High Cr (ferritic)	600	Ductility of	109
Nitrogen solubility in	. 03	Effect of heat treatment	361	Leaded red brass with Sn	
Liquid	577	Effect of Ni, Si, Mn		content reduction	157
Solid		Maraging, Si-hardened		Steel Mg, austenitic, modified	101
Pb additions		Crack propagation, in ductile iron		Affected by time and	
Surface-active agents in		Cupola		temperature	449
Te additions		Scrap melting, fragmentized steel .	394		
Cerium additions to		Cupola (gray iron) and		E	
Ductile iron, heavy section,		Electrostatic precipitator			
effect on		Comparison with wet		Economics of production	
Bulk arrest		scrubber performance		Gray iron shapes and tube by	
Cooling curves		Equipment evaluation		horizontal continuous casting	31
Solidification		Operational costs	257	Effect of additions	
Thermal analysis	176	Curing curves, of phenolic-urethane		Ni-Mo to ductile iron for	
Clay determination,		nobake binders	105	hardness and strength	371
by hydrometer method	335			Stainless steel, maraging,	
Closed head system,		D		Si-hardened	25
continuous casting	161			Electrical properties of	115
CO ₂ /Sodium-silicate (see		Dealuminization tendencies of		Mg-9 Al-Zn alloys and aging effect .	115
Sodium-silicate/CO ₂)		Cu-Al alloys by electrochemical	241	Electrochemical measurements of	
Coldbox process	202	measurements	341	Cu-Al alloys and corrosion	241
Corebox construction Urethane-lined corebox	323	Defects and		resistance	341
Collapsibility characteristics,	323	Causes from sand molding	207	Mn steel casting and	
Sodium-silicate/CO ₂ process	37	(1935-1971), history of		metal penetration	377
Composites, oxides and carbides	31	Degenerate graphite, in ductile iron,	101	Electrostatic precipitator	3//
in Al and Zn alloys	347	heavy section		Cupola (gray iron foundry)	257
Composition of	347	Effect of Pb, Bi, Sb, Ce additions	247	Emission control systems and	20,
Al alloys, and effect on		Desulfurizing of cast iron by	-41	operation	257
Casting properties	63	CaC ₂	415	Equipment evaluation	
Casting quality	63	Slags	415	Operational costs	
Foundry practice		Dimensional changes of		Wet scrubber performance	
Bronze, controlled by	-	Mg-9Al-Zn alloys and aging effect	115	comparison	257
thermal analysis	79	Dross, in ductile iron		Elevated temperature, sand	
Cu-Ni alloys, for high strength and		Ductile iron		testing (1935-1971)	287
corrosion resistance	145	Cooling curves		Emission control in cupola	
Ductile iron, correlation with		Solidification characteristics	399	Equipment and operation	
mechanical properties	225	Thermal analysis	399	Sulfur compounds control	125
Stainless steel, maraging,		Correlation of composition and		Equipment and operation for	
Si-hardened		effect on mechanical properties .	225	Emission control in a cupola	125
White iron, with Cr and Mo	121		351	Equipment evaluation	
Continuous casting		Cu content, effect on		Electrostatic precipitator for gray	
Al alloys	161	Mechanical properties		iron cupola melting	257
Closed-head systems for	161	Microstructure		Eutectometer cooling curves and	200
Cu alloys		Dross entrapment		ductile iron	399
Defects		Extended holding times		Extended holding times, for	422
Flocast process	161	Fluxing for dross removal		ductile iron	433
Graphite molds for	161	Fracture toughness values			
Open-head system for		Ladle inoculation	433	F	
Section shapes		Low-temperature testing	351	Filancian deposits and finding for	
Solidification		Mechanical properties	E7	Filtration, degassing and fluxing for	
Thermal analysis		Sb effect		Al alloys melt quality improvement	252
Zn alloys		Mg	4/3	and air pollution reduction Flame and induction hardening	233
Continuous casting (horizontal) of	101	Fading	433	of cast iron	69
Gray iron shapes and tube.		Nodularity fade		Flocast process of continuous casting	
for economic production	31	Treatment		Flowability indicator test method	101
Cooling curves (see Thermal analysis)	31	Microstructure	455	for improvement for sand	445
Copper alloys (see also		Affected by additions of Sb	57	Flowthrough volume of manganese	
Brass, Bronze, etc.)		Correlation and prediction		bronze effect on solidification	15
Continuous casting	161	Ni-Mo, effect on mechanical		Fluidity of	
Copper-Aluminum alloys		properties	371	Al-Si hypereutectic alloy (390)	85
Composition	341	Nodularity		Stainless steel, Si-hardened	25
Corrosion resistance		Prolonged holding of		Fluxing of Ductile iron	
Dealuminization		Sb inoculation effect on structure		Fracture toughness values of	
Electrochemical measurements		and properties	57	ductile iron	351
Microprobe analyses	341	Si postinoculation effects	594	Fragmentized steel scrap in	
Copper, as residual in		Sn content, effect on		cupola melting	394
Ductile iron		Mechanical properties		Furan Hotbox binders, N-free, low-odor	
Gray iron		Microstructure		Core making	95
Malleable iron		Sources, of dross in	589	Gas evolution	95
Steel	547	Thermal analysis (ThermoQual),		Hot strength	95
Copper-10% Ni alloys	145	to correlate and predict	1.42	Sand binders	95
Additions of Si, Cb, Al	145	microstructure	141	Sand properties and effects	95

St Ve Futu

Gas be Geo

Gr

Storage	95	1		Steel	
Veining	95	Incentive standards and		Cu residual effects in	. 53
Future trends of risering	269	Incentive standards and Labor relations		Sn residual effects in Melting (cupola)	
		Time study, methods improvement Inclusions	320	Fragmentized steel scrap	. 39
G		Control of dispersions	560	Metal penetration, Mn steel	
Gas evolution, effects using Furan hot		Dispersion of, affected by		Metal systems, Al casting operation . Metallurgy, gray iron produced by	40
box binders, N-free, low-odor	95	Mode of solidification	. 560	horizontal continuous casting	. 3
Geometry of castings, effect on		Rate of freezing	. 560	Methylene blue test, for bentonites	33
solidification time of manganese bronze	15	Induction and flame hardening,	60	Microprobe analysis	
Graphite	10	of cast iron	. 69	Cu-Al alloys	. 34
Dispersions in Al alloys		for malleable iron	479	Microstructure of	3/
Casting of			4.5	Al-Si hypereutectic alloy (390)	8
Segregation in				Brass (85-5-5-5), effect of	
Use of Ni-coated powders Vortex method for producing		L		solidification rate	51
Mold used in continuous casting				Ductile iron	
Nodularity in ductile iron		Labor relations, and incentive standards	321	Correlation and prediction using thermal analysis	14
containing Sb	57	Ladle inoculation, of ductile iron for		Cu residual effects	49
Nodule count in ductile iron	57	extended holding times		Heavy section	24
containing Sb Permanent molds for cast iron		Lead, additions to cast iron	455	Sb effects	5
Gray iron	047	Low temperature testing, of	251	Sn residual effects	49
Continuous casting, horizontal	31	ductile iron	331	Gray iron Effect of Cu and Sn residuals	18
Economical production of shapes				White iron, with Cr, Mo	12
and tubes by Effect of Sn and Cu residuals on	31			Modified specimen tube, for sand	
Mechanical properties	189	m		testing	5
Microstructure		Machining, of white cast iron with	121	Mold explosion and Casting defects	42
Metallurgy of shapes and tubes		Cr, Mo	121	High density molds	42
by continuous casting	31	Alloy (Mg-9Al-Zn), aging effect on		Molding systems and new sand	
Shapes and tubes produced by continuous casting	31	Dimensional changes	115	additions	338
Gray iron foundry cupola and	31	Electrical properties		Molten metal delivery, for Al	
Electrostatic precipitator,		Mechanical properties		casting operations	403
equipment performance	257	Fading, in ductile iron Nodularity fade, in ductile iron		Energy required, for sand-	
Green sand	212	Treatment of	334	bentonite-water systems	213
Angularity vs. compressibility Clay content vs. friction angle		Ductile iron	594	Index, for sand-bentonite-	
High density molding		Ductile iron, for extended		water systems	213
Moisture content vs. friction angle		holding times	433		
Stress-strain behavior (soil		Maintenance management Aims and objectives	91	N	
mechanics)		Control reports		New sand additions, to molding	
Triaxial apparatus for testing	313	Work measurements	91	sand systems	338
		Malleable iron	ECE	Nickel, Molybdenum effects on ductile iron mechanical properties	
Н		Cu residual effects in Ferritic, rapid batch annealing		Nitrogen solubility in	
Hardening of		Isothermal transformation diagram		Liquid cast irons	577
Cast iron, response to flame		Heat treatment479,		Solid cast irons	584
and induction hardening		Microstructure	565	No-bake Binders, and carburization of	
White iron, with Cr, Mo Heat abstraction from castings and	121	Due to oxidized melt	515	stainless steel castings	600
effect on		Resulting from arc melting		Process	105
Binders and bonds in recycled sand		Properties		Nodularity loss, in ductile iron	433
Thermal alteration of recycled sand	1	Second-stage graphitization		Noise control Air exhaust	136
Heat-resisting steel, austenitic Compositions	45	Sn residual effects in		Grinding machines	
Microstructures		Manganese bronze	405	Measurements	
Oxidation resistance	45	Casting geometry, effect on		Methods	135
Structural studies		solidification time	15	Transport containers	135
Weldability	45	Flowthrough volume, effect on	15	Work bench modification for	135
Heat treatment of High Cr stainless steel (ferritic)		solidification time	13	Normalizing	473
Corrosion resistance	361	Electron microprobe studies	377		
Mechanical properties		Metal penetration in	377	0	
Ni, Si, Mn effects	361	Mechanical properties of		Open-head system, in continuous	
Malleable iron Sn and Cu residual effects	565	Brass (85-5-5-5), effect of solidification rate	518	casting	161
Stainless steel, maraging, Si-	300	Cu-Ni alloys		Oxidation of malleable iron	
hardened		Ductile iron		As cause of pinholing	515
Steel, austenitic Mn		Affected by Ni, Mo		Resulting from arc melting	515
White iron, with Cr, Mo	121	Correlation with composition Cu residual effects in		Oxidation resistance of Steel (austenitic) for heat-	
High density molding and Casting defects	421	Improvement by two-step	433	resisting applications	45
Foundry sand practices		normalizing	473	Oxide dispersion, in Al and Zn alloys .	347
Green sand	313	Sn residual effect in	493		
Water explosion	421	Gray iron	100	P	
History of Risering	260	Cu residual effects in		Pattern shrinkage, for stainless	
Sand testing (1935-1971)		High Cr stainless steel (ferritic)	103	steel, Si-hardened	25
Hotbox process, using furan, N-free,		Effects of Ni, Si, Mn	361	Permanent molding, of cast irons	547
low-odor binders	95	Malleable iron		Phenolic novalacs and	
Hot strength	0=	Cu residual effects in		Sand coating study with scanning	261
Furan, N-free, low-odor binders Sodium silicate/CO ₂ process		Sn residual effects in		electron microscope Phenolic-urethane no-bake binders and	201
Hydrometer method, for clay	37	Stainless steel, maraging, Si-	220	Binder efficiency	105
		hardened	25	Compactibility	-

Core properties		Scanning electron microscope, for	001	Stress-strain behavior, of green	
Cure curves		shell molding coating study	. 261	sand (soil mechanics)	31.
Curing characteristics	. 105	Scrap, fragmentized steel for	201	Sulfur compounds, cupola emission	201
Pinholing in		cupola melting	. 394	control	12:
Malleable iron	. 515	Second-stage graphitization, of	470	Surface-active agents, effect on cast	455
Present technology, of risering	. 269	malleable iron		iron solidification	45:
Pressure applied during solidification,		Section shapes, by continuous castin	g 191	Surface carburization, of stainless	000
effect on leaded brass castings		Segregation of insoluble inclusions	F.C.0	steel, by organic binders	000
(85-5-5-5)	. 281	Control of			
Properties (see sand properties,		Effect of freezing rate		T	
mechanical properties,)		Effect of mode of freezing			
		Shape and tube production, gray iron,		Tellurium additions to	
Q		by horizontal continuous casting .	. 31	Cast iron	455
		Shape factor (K), for manganese	45	Thermal alteration, in recycled	
Quality of		bronze	. 15	sand due to	
Al alloys, effect of		Shell molding		Heat abstraction from metal casting	1
Composition	63	Coated sand study, by scanning	061	Thermal analysis	
Foundry practice	63	electron microscope	. 261	Bronze	
		Silicon postinoculation, effects on	504	Control of chemical composition	
R		ductile iron		Continuous casting	161
Domming uncirtument of the		Slags, desulfurizing of cast iron	. 415	Ductile iron	
Ramming resistance test, for sand	445	Sodium hydroxide additions, to		Ce additions effect	176
Rapid batch annealing of malleable		sodium silicate/CO ₂ sands	207	Microstructure correlation and	
iron (ferritic)	459	for reclamation	. 33/	prediction141, 169,	
Reclamation of		Sodium silicate/O ₂ process	27	Thermal durability, of bentonites1,	337
Sodium silicate/CO ₂ sand, by		Collapsibility characteristics		ThermoQual test, of ductile iron	
NaOH additions	397	Hot-strength		Correlation and prediction of	
Solid waste, using total incineration	186	Sand reclamation	33/	microstructure	141
Recycled sand, and effects of heat		Solidification		Tin	
abstraction from metal castings	1	Brass (85-5-5-5), cooling rate vs.	E10	As residual in	
Recycling of	200	Mechanical properties		Ductile iron	
Solid waste, using total incineration	186	Microstructure		Gray iron	
Process scrap, in Al casting		Characteristics, of ductile iron, using		Malleable iron	
operations	469	thermal analysis 141, 169, 176		Steel	537
Red brass, modified leaded, tin		Continuous casting	101	Content of leaded red brass	
content reduction	157	Ductile iron, heavy section, effect	176	(85-5-5-5), effect of reduction	157
Residual elements (see specific		of Ce additions	1/6	Toughness of	
element or alloy type)		Effect of		Steel, Mn (austenitic), modified	449
Risering		Mode, on dispersion of insoluble	560	Triaxial apparatus studies, high-	
Future trends	269	inclusions	300	pressure squeeze molding	313
History of	269	Rate, on dispersion of insoluble	560		
Present technology	269	inclusions	300	U	
		Leaded brass (85-5-5-5), effect of applied pressure	291	U	
S		Time of Mn bronze, and effect of	201	Unicast process, for continuous	
Sand (see also Green sand)		Casting geometry	15	casting	161
Flowability indicator test,		Flowthrough volume		Urethane linings, for coldbox	
method improvement	AAE	Solid waste disposal, using total	10	process coreboxes	323
Ramming resistance	445	incineration for			
Sand binders	443	Reclamation	186		
Flowability of sand	21	Recycling	186	V	
Furan, hotbox, N-free, low-odor	95	Stainless steel		Vega engine block casting, of Al-Si	
Heat abstraction effect on,	33	High Cr (ferritic)			85
from metal castings	1	Corrosion resistance	361	Veining, and effects using Furan, N-	-
History (1935-1971)	287	Effect of Ni, Si, Mn		free, low-odor hotbox binders	95
Processes vs. properties	201	Heat treatment	361	Vortex method, for dispersion of	00
comparison chart	331	Mechanical properties		Ni-coated	
Shell molding sand, coating studies	001	No-bake binders, use for cores		Graphite in Al alloys	265
by scanning electron microscope	261	and molds	600	Oxides and carbides in Al and	
Sand control, using		Surface carburization from		Zn alloys	347
Methylene blue test	337	organic binders	600		
Thermal durability determination 1.	337	Maraging, Si-hardened			
Sand flowability		Corrosion resistance	25	W	
Binder effect	21	Effect of additions	25	Wage incentive plans, method	
lesting	445	Fluidity	25	improvement	320
Sand molding		Heat treatment		Waste by-product utilization, of arc	120
High density		Mechanical properties		furnace dust	227
High production		Pattern shrinkage	25	Water explosion, and casting defects . 4	
History of (1935-1971)		Steel		Weldability of	421
Defects and causes	287	Corrosion resistance		Cu-Ni alloys	145
Elevated temperature testing	287	Cu residuals in	537	Steel (austenitic) for heat	143
Sand binders	287	Mechanical properties, affected			45
Sand preparation	287	by residuals	537	White iron	43
Sand properties		Mn (austenitic), modified			165
Sand properties287,	411	Ductility	449	Cr-Mo additions and	
Binder system comparison chart	331	Toughness		Annealing	121
Furan hotbox binders, N-free,		Sn residuals in	53/	Composition choices 1	21
low-odor	95	Steel (austenitic)		Hardening 1	
Sodium silicate/CO ₂ reclaimed		Heat resisting application	45	Heat treatment 1	
sand	397	Composition		Machining	
Sand testing		Microstructure	45	Microstructure 1	
Elevated temperature (1935-1971) :		Oxidation resistance		Rate of malleablizing 4	
Flowability	21	Structural studies		Solidification time, influenced by	-
Modified specimen tube for	53	Weldability	45	casting geometry 4	183
Sand-water-bentonite systems		Storage considerations, using			-
Mulling	212	Furan, hotbox binders, N-free,	05		
Energy requirements		low-odor	95	Z	
Index for		Strength, of leaded red brass with	167		
Properties of	213	reduced Sn content	13/	Zinc alloys, in continuous casting 1	10

161 176